

Subject Code: KEC101T
Roll No:

BTECH (SEM I) THEORY EXAMINATION 2021-22 EMERGING DOMAIN IN ELECTRONICS ENGINEERING

Time: 3 Hours Total Marks: 100

Note: 1. Attempt all Sections. If require any missing data; then choose suitably.

SECTION A

1. Attempt all questions in brief.

 $2 \times 10 = 20$

Printed Page: 1 of 3


- a. Determine β , if $I_E = 5$ mA, $I_C = 4.95$ mA.
- b. Define transconductance of JFET.
- c. What do you mean by CMRR?
- d. Differentiate the BJT and JFET.
- e. $(1010110100.110)_2 = ()_{16}$?
- f. Differentiate between Avalanche and Zener breakdown.
- g. Simplify the Boolean function using Boolean Algebra theorems: AB'C' + ABC' + ABC' + ABC'
- h. Differentiate between Microprocessor and Microcontroller.
- i. What is Doping? What is the need of Doping?
- j. What is RADAR? Write down two applications of RADAR.

SECTION B

2. Attempt any three of the following:

 $10 \times 3 = 30$

a. What do mean by clipper? Draw the output waveform of the given circuit.



- b. Draw the Structure of Depletion type N-MOSFET. Explain its operation with characteristic graph.
 - i) Subtract using 10's complement: (9754)₁₀ (364)₁₀
 - ii) Subtract using 1's complement: $(10111)_2 (110011)_2$
- d. Describe AM modulation and Demodulation technique with adequate diagram.
- e. Write down the characteristics of ideal OP-AMP. Derive the expression for gain of OP-AMP as non-inverting amplifier.

SECTION C

3. Attempt any *one* part of the following:

c.

 $10 \times 1 = 10$


- (a) Define Voltage Multiplier. Draw the circuit and explain the working of voltage Tripler and Quadrupler circuit.
- (b) Draw the V-I charateristics of zener diode. Determine the network of figure given below, determine the range of Vin that will maintain V_L at 8V and not



Roll No: Subject Code: KEC101T

BTECH (SEM I) THEORY EXAMINATION 2021-22 EMERGING DOMAIN IN ELECTRONICS ENGINEERING

exceeded the maximum power rating of the Zener diode.



4. Attempt any *one* part of the following:

 $10 \times 1 = 10$


Printed Page: 2 of 3

- (a) Describe the construction and working of a NPN transistor in CE configuration with respect to size and doping. Also, draw the input and output characteristic graph.
- (b) Define α and β with respect to BJT and derive the relationship between them. A transistor having $\alpha = 0.975$ and reverse saturation current $I_{CBO} = 10 \mu A$ is operated in CE mode. If the base current is $250 \mu A$. Calculate I_E and I_C .

5. Attempt any *one* part of the following:

 $10 \times 1 = 10$

- (a) (i) Draw and explain the working of Integrator and Differentiator using OP-AMP.
 - (ii) Write Short note on basic elements of communication system.
- (b) (i) Determine the output voltage of an OPAMP for the input voltage of V_1 =150 μ V and V_2 =140 μ V. The amplifier has differential gain A_d=4000 and CMRR is 100.
 - (ii) Determine the output of the following circuit. Given $V_1=V_2=0.15V$



6. Attempt any *one* part of the following:

 $10 \times 1 = 10$

- (a) i) Describe briefly Satellite Communication.
 - ii) Explain Positive and Negative Clamper using suitable circuit diagram and input/output waveform.
- (b) An audio frequency signal $5Sin(2\pi \times 500t)$ is used to amplitude modulate a carrier of $25Sin(2\pi \times 10^5t)$. Calculate:
 - (i) Modulation index
 - (ii) Amplitude of Each side band

PAPER ID-411440	

	Subject Code: KEC101											01T		
Roll No:														

BTECH (SEM I) THEORY EXAMINATION 2021-22 EMERGING DOMAIN IN ELECTRONICS ENGINEERING

- (iii) Total power
- (iv) Bandwidth
- (v) Transmission efficiency

7. Attempt any *one* part of the following:

 $10 \times 1 = 10$

Printed Page: 3 of 3

- (a) Minimize using K-map and realize using NOR gates only. $F(A, B, C, D) = \Pi M$ (3, 4, 5, 7, 9, 13, 14, 15). d(0, 2, 8).
- (b) F (A, B, C, D, E) = Σ m (0,1,2,4,5,6,10,13,14,18,21,22,24,26,29,30). Simplify the function with help of K-map and realize the simplified function using basic logic gates.

QP2P2290 QP2P22908:59:55\171:55.242.131